CO₂ Applications in Semiconductor Industry



Conrad T. Sorenson Revision 1.0 June 15, 1999

Making Our Planet
More Productive

www.praxair.com

Overview

- 1 Advantages of CO₂
- 2 Current CO₂ Applications
- 3 Supercritical Carbon Dioxide (SCCO₂)
- 4 Descriptions of Current Applications
- 5 Environmental Issues of CO₂
- 6 Issues With CO₂ In The Fab
- 7 Need for Efficient Industry Transfer

Advantages of CO₂

General

- Safe & environmentally benign compound
- Advantageous chemical & physical properties for microstructure applications
- Minimal waste generation/disposal
- Readily available in all semiconductor producing regions of the world.

Praxair

- Strong global CO₂ supply position
- Application know-how

Current CO₂ Applications

Dry ice blasting for

Semiconductor process tool parts cleaning


CO₂ snow jet for

- Semiconductor process tool parts cleaning
- Wafer cleaning (e.g., veil removal, etc.)

Supercritical CO₂ (SCCO₂) or dense phase CO₂ for


- Wafer cleaning (photoresist stripping)
- Wafer drying
- Advanced photoresist applications

Supercritical Carbon Dioxide (SCCO₂)




- A distinct phase with unique physical and thermodynamic properties.
- Occurs only if T > 88 F and P > 1057 psig.
- Unlike a gas, SCCO₂ is a good solvent.
- Unlike a liquid, SCCO₂ can be easily cleaned of contaminants and recycled.


Dry Ice Blasting



CO₂ Snow Jet



Supercritical CO₂ (SCCO₂)



Environmental Issues of CO₂

- CO₂ is a greenhouse gas suspected to contribute to global warming.
- Virtually all commercial CO₂ is captured byproducts from industrial sources.
- The use of CO₂ does not result in additional greenhouse gas emission.

Issues With CO₂ In The Fab

- High pressures
- Asphyxiation potential
- Low temperature
- For detailed information, refer to the Praxair Material Safety Data Sheet, Number P-4573, "Carbon Dioxide, Refrigerated Liquid." Call 800-PRAXAIR.

Need for Efficient Industry Transfer

- Development times for 157nm photoresist applications are short.
- Concurrent involvement of suppliers in SCCO₂ photoresist research would maximize rate of technology transfer.